



Référence: E13*10R05/01*15404*00

Annexes: - Rapport Technique
- Fiche de Renseignements du constructeur

Luxembourg, le 18 décembre 2019

Communication concernant:⁽²⁾
Communication concerning:



- la délivrance d'une homologation
approval granted
- ~~l'extension d'homologation~~
approval extended
- ~~le refus d'homologation~~
approval refused
- ~~le retrait d'homologation~~
approval withdrawn
- ~~l'arrêt définitif de la production~~
production definitely discontinued

d'un type de sous-ensemble électrique/électronique⁽²⁾ en ce qui concerne le Règlement N° 10
of a type of electrical/electronic sub-assembly with regard to Regulation N° 10

Numéro d'homologation par type:
Approval number:

E13*10R05/01*15404*00

Marque d'homologation:
Approval mark:

 10R - 05 15404

- 1. Fabricant: (marque commerciale du constructeur):**
Make (trade name of manufacturer):
Jiangsu Sanjo Intelligent Technology Co., Ltd.
(for logo refer to Test Report)
- 2. Type:**
Type:
SVRXXL
- Dénomination(s) commerciale(s) générale(s):**
General commercial description(s):
Car refrigerator
- Variante(s):**
Variant(s):
1. SVR50L
2. SVR85L

- 3. Moyens d'identification du type, s'ils sont marqués sur le véhicule / composant / entité technique⁽²⁾:**
Means of identification of type, if marked on the vehicle / component / separate technical unit:
- SVR: Sanjo Part category No. (refrigerator series)
XXL: Sanjo Part Volume No.
- 3.1. Emplacement de ce marquage:**
Location of that marking:
- Top of refrigerator inside, stick label
- 4. Catégorie du véhicule:**
Category of vehicle:
- Not applicable
- 5. Nom et adresse du constructeur:**
Name and address of manufacturer:
- Jiangsu Sanjo Intelligent Technology Co., Ltd.
No. 258 Wuxing Avenue, Nandu Town,
Liyang City, Jiangsu Province, China
- 6. Dans le cas de composants ou d'entités techniques, emplacement et procédé de fixation de la marque de réception CEE:**
In the case of components and separate technical units, location and method of affixing of the ECE approval mark:
- Top of refrigerator inside, stick label
- 7. Adresse(s) de l' (des) usine(s) d'assemblage:**
Address(es) of assembly plant(s):
- Jiangsu Sanjo Intelligent Technology Co., Ltd.
No. 258 Wuxing Avenue, Nandu Town,
Liyang City, Jiangsu Province, China
- 8. Informations supplémentaires (s'il y a lieu):**
Additional informations (where applicable):
- See appendix below
- 9. Autorité déléguée:**
Assigned authority:
- Société Nationale de Certification et d'Homologation
L-5201 Sandweiler*
- Service technique responsable de l'exécution des essais:**
Technical service responsible for carrying out the tests:
- TÜV Rheinland Luxemburg GmbH
2a, Kalchesbruck
L-1852 Luxemburg
- 10. Date du rapport d'essai:**
Date of test report:
- 10.10.2019
- 11. Numéro du rapport d'essai:**
Number of test report:
- 87-R10-2332/19-00
- 12. Remarques (s'il y a lieu):**
Remarks (if any):
- See appendix below

13. **Lieu:** Luxembourg
Place:

14. **Date:** 18 décembre 2019
Date:


15. **Signature:**
Signature:

**Pour le Ministre de la Mobilité
et des Travaux publics**



Alain DISVISCOUR
Conseiller

Pour la SNCH



Laurent LINDEN
Directeur opérationnel



16. **L'index de l'ensemble des renseignements déposé chez l'autorité de réception, qui peut être obtenu sur demande, est joint.**

The index to the information package lodged with the approval authority, which may be obtained on request, is attached.

See index to type-approval report

17. **Raison(s) de l'extension:** Not applicable
Reason(s) for extension:

² **Biffer la mention inutile**
Strike out what does not apply

Appendice

Appendix

au certificat d'homologation par type N° E13*10R05/01*15404*00

to type-approval certificate N° E13*10R05/01*15404*00

concernant l'homologation par type d'un sous ensemble électrique/électronique selon le Règlement N° 10.

concerning the type-approval of an electrical/electronic sub-assembly under Regulation N° 10.

- | | | |
|---------------|--|---|
| 1. | Informations supplémentaires.
Additional information. | |
| 1.1. | Tension nominale du système électrique [V]:
Electrical system rated voltage [V]: | 12V / 24V DC |
| | Masse:
Ground: | Negative / Positive ⁽²⁾ |
| 1.2. | Ce SEEE peut être utilisé sur n'importe quel type de véhicule avec les restrictions suivantes:
This ESA can be used on any vehicle type with the following restrictions: | Operating ambient Temperature Range: 0°C to +50°C |
| 1.2.1. | Conditions d'installation, s'il y a lieu:
Installation conditions, if any: | Not applicable |
| 1.3. | CE SEEE peut seulement être utilisé sur les types de véhicules suivants:
This ESA can be used only on the following vehicle types: | Not applicable |
| 1.3.1. | Conditions d'installation, s'il y a lieu:
Installation conditions, if any: | Not applicable |
| 1.4. | La (les) méthode(s) spécifique(s) d'essais utilisée(s) et les bandes de fréquences couvertes pour déterminer l'immunité étai(ent): (indiquez s'il vous plaît à partir de l'annexe 9 la méthode précise utilisée).
The specific test method(s) used and the frequency ranges covered to determine immunity were: (Please specify precise method used from annex 9). | Not applicable |
| 1.5. | Laboratoire accrédité au titre de la norme ISO 17025 et reconnu par l'autorité d'homologation chargé d'effectuer les essais:
Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests: | Not applicable |
| 2. | Commentaires:
Remarks: | None |



Référence: E13*10R05/01*15404*00

Annexes: - Rapport Technique
- Fiche de Renseignements du constructeur

Luxembourg, le 18 décembre 2019

Index du dossier d'homologation

Index to type-approval report

	Numéro d'homologation: Approval number:	E13*10R05/01*15404*00
	Révision: Revision:	00
	Marque de fabrique ou de commerce: Trade name or mark:	<i>Jiangsu Sanjo Intelligent Technology Co., Ltd. (for logo refer to Test Report)</i>
	Type: Type:	SVRXXL
1.	Procès-verbal d'essai: Test report:	N° 87-R10-2332/19-00
	- Test report:	Page 1 to 10
	- Technical information:	Appendix L - Page 11 & 12
	- List of modifications:	Appendix 0 - Page 13
2.	Dossier du constructeur: Report of the manufacturer:	N° SVRXXL-V00
	- Manufacturer's information document:	Page 1 to 7
3.	Autres documents annexés: Other documents annexed:	Not applicable
4.	Date de délivrance de l'homologation initiale: Date of issue of initial type approval:	18.12.2019
5.	Date de la dernière délivrance de pages révisées: Date of last issue of revised pages:	Not applicable
6.	Date de la dernière délivrance d'une homologation révisée: Date of last extension:	Not applicable

Type : SVRXXL
Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

TEST REPORT

according to UN-Regulation

Uniform provisions concerning the approval of vehicles with regard to electromagnetic compatibility

No.: 10

including

No.: 05 series of amendments, suppl. 01

Previously Granted
UN approval : ---

Structure of report:

0. General information
1. Test object(s) and general test information
2. Test minutes
3. Remark concerning tested object(s)
4. Appendices
5. Statement of conformity

The Test Report shall be reproduced and published in full by the client only. It shall however be reproduced partially with the written permission of the Testing Laboratory only.

Type : SVRXXL
Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

0. General information

- 0.1. Trade mark or trade name of type : 
- 0.2. Manufacturer's name for the type of the ESA : SVRXXL
Variant 1: SVR50L
Variant 2: SVR85L
- 0.3. Name and address of manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd
No. 258 Wuxing Avenue, Nandu Town,
Liyang City, Jiangsu Province, China
- 0.4. Name and address of authorised representative, if any : Not applicable
- 0.5. No. of information document : SVRXXL-V00
date of issue : September 25, 2019
date of last amendment : ---

1. Test object(s) and general test information

1.1. Test object(s)

- Identification no. : Not applicable
- Model : SVRXXL / Variant 2: SVR85L
- Remark : Car refrigerator

1.2. General test information


- 1.2.1 Order issued by (if different from manufacturer) : Not applicable
- 1.2.2 Test object received on : Not applicable
- 1.2.3 Test date : September 25 to 26, 2019
- 1.2.4 Test site : TÜV Rheinland (Shanghai) Ltd. EMC Laboratory
TÜV Building II, NO. 178, Lane 777, West Guangzhong Road
Zhabei District, Shanghai 200072, P.R.China
- 1.2.5 Remark : The results of the test refer exclusively to the objects mentioned under point 1.1. of this report.

Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

2. Test minutes


- 2.1. Test facilities : The measurement equipment used was in compliance with the test requirements.
- 2.2. Technical information for the tested ESA : See Appendix L
- 2.3. Type approval tests conducted : Radiated narrowband electromagnetic emissions
 Radiated broadband electromagnetic emissions
~~Immunity to electromagnetic radiation~~
 Immunity to transient disturbances
 Emission of transient conducted disturbances
- 2.4. Test results : ~~The type has been examined according to the amendments mentioned in appendix O.~~
 The performance of the ESA has been tested under 12V and 24V input modes.
 - 2.4.1. Radiated narrowband and broadband electromagnetic emissions : Antenna position horizontal and vertical (Average detector and PK detector)

Horizontal:12V



Narrowband ECE R10 -Horizontal


Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd



Broadband ECE R10 -Horizontal


Remark: n.a.

Vertical: 12V



Narrowband ECE R10 -Vertical


Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd



Broadband ECE R10 -Vertical


Remark: n.a.

Horizontal:24V



Narrowband ECE R10 -Horizontal


Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd



Broadband ECE R10 -Horizontal


Remark: n.a.

Vertical: 24V



Narrowband ECE R10 -Vertical

Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd



Broadband ECE R10 - Vertical

Remark: n.a.

Maximum narrowband AV value:

Frequency (MHz)	Test results (dBµV/m)		Reference AV Limit (dBµV/m)	Margin to AV reference value (dBµV/m)	remark
	hor.	vert.			
167.16	30.24	---	47.27	-17.02	12V
198.66	---	31.27	48.40	-17.13	12V
57.66	26.40	---	44.87	-18.47	24V
197.40	---	27.32	48.36	-21.04	24V

Maximum broadband PK value:

Frequency (MHz)	Test results (dBµV/m)		Reference PK Limit (dBµV/m)	Margin to PK reference value (dBµV/m)	remark
	hor.	vert.			
169.56	34.84	---	77.36	-42.52	12V
198.72	---	36.78	78.40	-41.62	12V
58.14	31.79	---	74.78	-42.99	24V
198.60	---	34.44	78.40	-43.96	24V

Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

2.4.3. Immunity Test

: Not applicable

~~ISO 11452-4, Third edition 2005 and Corrigendum 1:2009~~

~~Bulk current injection testing method (from 20 to 400MHz)~~

~~ISO 11452-2 2nd edition: 2004~~

~~Free field testing method (from 400 MHz to 2000MHz)~~

Test method

: ~~Bulk current injection and absorber chamber test~~

Specified frequency range

: ~~20 – 2000 MHz~~

Measurement result:

Frequency range (MHz)	Test level	Type of modulation	Test distance	Antenna position	Result
20~400	60mA	AM, 80%	150mm	---	Passed
400~800	30volts/m	AM, 80%	1 m	Vertical	Passed
800~2000	30volts/m	PM, 577µs	1 m	Vertical	Passed

2.4.4. Immunity to transient disturbances

: The tests were conducted by the method according to ISO 7637-2 (second edition 2004) as described in Annex 10, and the functional status of the ESA after the tests complied with the levels shown in Table 2 of Paragraph 6.

Test pulse number	Immunity test level		Functional status for systems			
			Related to immunity-related functions	Not related to immunity-related functions	Test results	
					12V	24V
1	-75V	-450V	€	D	C	C
2a	+37V	+37V	B	D	A	A
2b	+10V	+20V	€	D	C	C
3a	-112V	-150V	A	D	A	A
3b	+75V	+150V	A	D	A	A
4	-6V	-12V	€	D	C	C

Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

- 2.4.5. Emission of transient conducted disturbances : The tests were conducted by the method according to ISO 7637-2 (second edition 2004) as described in Annex 10, and the pulse amplitudes were within the limits specified in Table 1 of Paragraph 6.

Polarity of pulse amplitude	Maximum allowed pulse amplitude for vehicles with systems		Test results			
			Slow pulses		Fast pulses	
	12V	24V	12V	24V	12V	24V
Positive	+75V	+150V	+22.6V	+52.4V	+25.1V	+53.8V
Negative	-100V	-450V	-13.5V	-27.0V	-9.8V	-23.4V

- 2.4.6. Markings : The approval mark is marked clearly legible and indelible on the housing of the ESA.
- 2.5. Variants and components : Not applicable

3. Remark concerning tested object(s)

All versions of the ESA type as stated in the information document are covered with the tested version(s) and test object(s) respectively.

4. Appendices

L Technical information about the electrical/electronic sub-assembly (ESA) according to Annex 3B of the communication concerning the UN-type approval

0 List of modifications

Information document No. : SVRXXL-V00 (7 pages)

Type : SVRXXL
Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

5. Statement of conformity

The above mentioned information folder and the type described in that comply with the requirements mentioned on page 1.

Engineering Center Shanghai, October 10, 2019

DG / MW



Daniel Gu
Expert Technical Service

Type : SVRXXL
 Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

Technical information about the electrical/electronic sub-assembly (ESA)
 according to Annex 3B of the communication concerning the UN-type approval

Appendix L

1. **Make (trade name of manufacturer)** : 
2. **Type and general commercial description(s)** : SVRXXL
 Car refrigerator
 Variant 1: SVR50L
 Variant 2: SVR85L
3. **Means of identification of type, if marked on the vehicle/component/separate technical unit** : SVR: Sanjo Part category No. (refrigerator series)
 XXL: Sanjo Part Volume No.
 - 3.1. **Location of that marking** : Top of refrigerator inside, stick label
4. **Category of vehicle** : Not applicable
5. **Name and address of manufacturer** : Jiangsu Sanjo Intelligent Technology Co., Ltd
 No. 258 Wuxing Avenue, Nandu Town,
 Liyang City, Jiangsu Province, China
6. **In the case of components and separate technical units, location and method of affixing of the approval mark** : Top of refrigerator inside, stick label
7. **Name and address(es) of the assembly plant(s)** : Jiangsu Sanjo Intelligent Technology Co., Ltd
 No. 258 Wuxing Avenue, Nandu Town, Liyang City, Jiangsu
 Province, China
8. **Additional information** : See appendix below
9. **Technical Service responsible for carrying out the tests** : TÜV Rheinland Luxemburg GmbH
 2a, Kalchesbruck
 L-1852 Luxemburg
10. **Date of test report** : October 10, 2019
11. **No. of test report** : 87-R10-2332/19-00
12. **Remarks (if any)** : See appendix below
16. **The index to the information package lodged with the Approval authority, which may be obtained on request, is attached** : Not applicable
17. **Reasons for extension** : Not applicable

Type : SVRXXL
Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

**Appendix to type-approval communication form No. ---
concerning the type-approval of an electrical/electronic sub-assembly under Regulation No. 10**

1. Additional information

- 1.1. Electrical system rated voltage : 12V / 24V DC, pos./neg. ground
- 1.2. This ESA can be used on any vehicle type with the following restrictions : Operating ambient Temperature Range: 0°C ~ +50°C
- 1.2.1. Installation conditions, if any : ---
- 1.3. This ESA can be used only on the following vehicle types : Not applicable
- 1.3.1. Installation conditions, if any : ---
- 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were (please specify precise method used from Annex 9) : ISO 11452-4, Third edition 2005 and Corrigendum 1:2009
Bulk current injection testing method (from 20 to 400MHz)
ISO 11452-2 2nd edition: 2004
Free field testing method (from 400 MHz to 2000MHz)
- 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests : Not applicable
- 2. Remarks** : Not applicable

Type : SVRXXL
Manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd

List of modifications

Appendix 0

Correction of : --

Modification of : --

Addition of : --

Deletion of : --

Application date: 2019-Sep-25	INFORMATION DOCUMENT NO. SVRXXL-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05	Page 1 of 7
-------------------------------------	--	-------------

1. Make (trade name of manufacturer) : 
2. Type : SVRXXL;
Variant 1: SVR50L,
Variant 2: SVR85L
3. Means of identification of type, if marked on the component/~~separate technical unit~~¹⁾ : SVR: Sanjo Part category No. (refrigerator series)
XXL: Sanjo Part Volume No.
- 3.1. Location of that marking : Top of refrigerator inside, label sticking
4. Name and address of manufacturer : Jiangsu Sanjo Intelligent Technology Co., Ltd
No. 258 Wuxing Avenue, Nandu Town,
Liyang City, Jiangsu Province, China
Name and address of authorized representative, if any : NA
5. In the case of components and separate technical units, location and method of affixing of the approval mark : Top of refrigerator inside, label sticking
6. Address (es) of assembly plant(s) : Jiangsu Sanjo Intelligent Technology Co., Ltd
No. 258 Wuxing Avenue, Nandu Town,
Liyang City, Jiangsu Province, China
7. This ESA shall be approved as a component/STU : component
8. Any restrictions of use and conditions for fitting : Operating ambient Temperature Range:
0°C~+50°C
9. Electrical system rated voltage : 12V/24V DC

Appendix 1: Description of the ESA chosen to represent the type, electronic block diagram and list of main component constituting the ESA (e.g. make and type of microprocessor, crystal, etc.).

Only applicable for charging systems: : Not applicable

10. Charger: on board/external: NA
11. Charging current: direct current/alternating current: NA
12. Maximal nominal current (in each mode if necessary): NA
13. Nominal charging voltage: NA
14. Basic ESA interface functions: NA
15. Minimum R_{sce} value : NA

Application date: 2019-Sep-25	INFORMATION DOCUMENT NO. SVRXXL-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05	Page 2 of 7
-------------------------------------	---	-------------

List of contents

Appendix 1	Description of the ESA	page 2
Attachment 1	Photo of the ESA	page 3 - 4
Attachment 2	Dimensional drawing	page 5
Attachment 3	Electric Circuit Diagram	page 6
Attachment 4	Bill of Materials	page 7

This information document consists of pages 1 to 7 including Appendix and Attachments.

Appendix 1

Description of the ESA

1. Input range : DC 12V/24V
2. Consumption power : Max 48W
3. Resource of X-tal or oscillator : No
4. Main dimensions : Variant 1: SVR50L W380xH530*D490mm
Variant 2: SVR85L W475xH630*D545mm
5. Weight : Variant 1: 17kg
Variant 2: 21kg
6. EMC countermeasure component : No

Application date: 2019-Sep-02	INFORMATION DOCUMENT NO. 510-00138-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05	Page 3 of 7
-------------------------------------	--	-------------

Attachment 1

Photo of the ESA

Front View



Rear View




<p>Application date: 2019-Sep-25</p>	<p style="text-align: center;">INFORMATION DOCUMENT NO. SVRXXL-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05</p>	<p style="text-align: right;">Page 4 of 7</p>
--	--	---

Side View



E-mark number label




<p>Application date: 2019-Sep-25</p>	<p>INFORMATION DOCUMENT NO. SVRXXL-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05</p>	<p>Page 5 of 7</p>
--	--	--------------------


Attachment 2

Dimensional drawing

Variant 1



Variant 2




INFORMATION DOCUMENT NO. SVRXXL-V00
 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC
 SUB-ASSEMBLY WITH RESPECT TO
 ELECTROMAGNETIC COMPATIBILITY
 ACCORDING TO UN R10.05

Application
 date:
 2019-Sep-25

Attachment 3

Electric Circuit Diagram



Application date: 2019-Sep-25	INFORMATION DOCUMENT NO. SVRXXL-V00 FOR TYPE APPROVAL OF AN ELECTRIC/ELECTRONIC SUB-ASSEMBLY WITH RESPECT TO ELECTROMAGNETIC COMPATIBILITY ACCORDING TO UN R10.05	Page 7 of 7
-------------------------------------	---	-------------

Attachment 4

Bill of material

No.	Component No.	Component	Quantity	Material	Mark
1	1300101Z0200	Compressor	1	BD35	CE
2	1300101Z0200	Control unit	1	101N0650	CE
3	13103002MPC01	Control PCB	1	DC12/24V	
4	1310201A03	NTC	1	PX-42H 10K Ω 25 $^{\circ}$ C	
5	13201D12BM01	Fan	1	DC12V 2200RPM	CE
6	13301CE1500B01	DC cable	1	UL1007 16AWG	
7	13303CE1000B01	Connect cable	1	UL1007 24AWG	
8	13008FGXH91007	Dryer	1	3A XH-9	
9	1300200201GN	Evaporator	1	Al+Cu	
10	1300300202CP	Condensor	1	\	
11	1340100230PPB00	PP shell	1	PP	
12	1350100203SM	Metal frame	1	VCM	
13	2340100203APS00	Door frame	1	ABS/PC	

JIANGSU SANJO INTELLIGENT
TECHNOLOGY CO., LTD.
Chen Shuicai

Date : 28.10.2020
Our ref. : BLA 01
Your ref.: C.S.C.

No. 8 Jinguazi ROAD,
NANDU TOWN, LIYANG CITY,
Jiangsu
P.R. China

Ref : AN Certificate of Conf. Low Voltage D.

Type of Equipment : Refrigerator-Freezer
Model Designation : See Certificate
Certificate No. : AN 50483602 0001
Report No. : 60410460 001

Dear Chen Shuicai,

We herewith confirm that a sample of the above mentioned technical equipment has been tested and was found to be in accordance with the relevant requirements.

Enclosed please find your Certificate of Conformity.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

With kind regards,

Certification Body



Dipl.-Ing. Th. Illing

Enclosure

TÜV RHEINLAND TAIWAN LTD.

11F., No. 758, Sec. 4, Bade Rd.,
Songshan Dist., Taipei City 105,
Taiwan R. O. C.
Tel.(02) 2172-7000
Fax (02) 2172-1322
<http://www.tuv.com>

TAICHUNG BRANCH:
No. 9, Lane 36, Sec. 3, Minsheng Rd.,
Daya Dist., Taichung City 428,
Taiwan, R. O. C.
Tel.(04) 2521-8888
Fax (04) 2521-8899

KAOSIUNG BRANCH:
27F-3, No.80, Minzu 1st Rd.,
Sanmin Dist., Kaohsiung City 807,
Taiwan, R. O. C.
Tel. (07) 262-6000
Fax (07) 380-0577

C E R T I F I C A T E



of Conformity Low Voltage Directive 2014/35/EU

Registration No.: AN 50483602 0001

Report No.: 60410460 001

Holder: **JIANGSU SANJO INTELLIGENT
TECHNOLOGY CO., LTD.**
No. 8 Jinguazi ROAD,
NANDU TOWN, LIYANG CITY,
Jiangsu
P.R. China

Product: Refrigerator / Freezer Combination
(Refrigerator-Freezer)

Identification: SVR50L SVR85L (Logo (SANJO))

Serial No.: Engineering sample

Remark: Refer to test report 60410460 001 for details.

This certificate of conformity is based on an evaluation of a sample of the above mentioned product. Technical Report and documentation are at the Licence Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive 2014/35/EU, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.



Certification Body

Date 28.10.2020


Dipl.-Ing. Th. Illing

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. **CE**